

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number:

0 616 774 A1

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: **94104249.1**

(51) Int. Cl.⁵: **A23G 9/02, A23G 3/00**

(22) Date of filing: **18.03.94**

(30) Priority: **24.03.93 CH 895/93**

(43) Date of publication of application:
28.09.94 Bulletin 94/39

(84) Designated Contracting States:
**AT BE CH DE DK ES FR GB GR IE IT LI LU MC
NL PT SE**

(71) Applicant: **SOREMARTEC S.A.**
Drève de l'Arc en Ciel 102
B-6700 Arlon-Schoppach (BE)

(72) Inventor: **Lelli, Angelo**
Via Boella 16/D
I-12050 Racca - Guarene (Cuneo) (IT)
Inventor: **Ferrero, Pietro**
Avenue Lequime 64
B-1640 Rhode-St-Genese (BE)

(74) Representative: **Rambelli, Paolo et al**
Jacobacci-Casetta & Perani S.p.A.
Via Alfieri 17
I-10121 Torino (IT)

(54) **A process for preparing a liquid food product.**

(57) A process for preparing a liquid food product having a composition typical of ice cream, including edible fats, proteins, sugars and water, and including the steps of:

- preparing a basic mix including the above ingredients;
- cooling this mix to below its freezing point while whipping and injecting with gas until an aerated intermediate product is obtained, and subsequently heating it to above its freezing point and de-aerating it until the intermediate product is once again in a substantially de-aerate liquid state.;
- pasteurising or sterilising the product thus obtained, homogenising it and packaging it in aseptic containers.

The process provides a product intended to be consumed liquid, which has similar organoleptic properties to conventional aerated solid or semi-solid ice cream.

EP 0 616 774 A1

The present invention relates to a process for the preparation of a food product having a composition typical of ice cream but intended to be kept and eaten in a liquid state.

Ice cream is a food product which is greatly valued, both for its nutritional value and for its organoleptic properties, and which includes fats, proteins, carbohydrates and water and which is rendered solid or semi-solid by freezing and whipping in such a way that small bubbles of air or inert gas are incorporated into the mass of the ice cream itself. Thanks to the presence of small bubbles of gas, the ice cream melts quickly in the mouth, giving a pleasant, fresh sensation.

An extensive description of the technology and recipes for the preparation of conventional ice cream is given in the work of W.S. Arbuckle, The AVI Publishing Company Inc., 1977.

Research carried out by the Applicant has shown that the flavour and organoleptic properties of ice cream depend essentially on the proportion of "unfreezables" trapped in the fine structure of ice crystals and gas bubbles. These unfreezables are made up of all those elements which are dissolved, emulsified or dispersed in the initial aqueous phase and which only special ice cream manufacturing technology manages to distribute in a pleasing and harmonious manner.

A particular organoleptic effect on the receptors of the tongue and palate, linked to the high concentration of highly active substances (fats, proteins and sugars), is further enhanced by action that proteins exert at the interface of oil-in-water emulsions which improves the exchange between the "unfreezable portion" and the cell membranes of the receptors.

The original oil/gas/water emulsion loses its gas phase on melting, the "pure ice" phase is quickly absorbed by saliva, while the proteins concentrated at the solution of unfreezables/oil interface contribute to the formation of a new oil/unfreezable/saliva emulsion which is absorbed slowly by the receptors, thus pleasantly prolonging the flavour and organoleptic effect.

The object of the present invention is to provide a process which enables a food product to be produced which has the typical composition of ice cream, and therefore the same nutritional value, but is intended to be consumed as a drink in its liquid state, and which gives the consumer the same pleasant organoleptic sensation produced by conventional ice cream at the moment when the unfreezable portion, freed from the microbubbles of gas and the microcrystals of ice by the melting of the ice cream, comes into contact with the sensory receptors of the tongue, thereby being just as appealing to the consumer while avoiding the need to be stored frozen.

This object is achieved according to the invention by a process characterised in that it includes the steps of:

- preparing a basic mix having the typical composition of ice cream, including edible fats, proteins, carbohydrates and water,
- cooling this basic mix to below its freezing point, while whipping and injecting it with gas until an aerated intermediate mixture is obtained, and subsequently heating it to above its freezing point and de-aerating it until the intermediate mixture is once again in a substantially de-aerate liquid state and
- pasteurising or sterilising the product thus obtained, homogenising it and packaging it in sterile containers.

The finished product, obtained by the process according to the invention, has the typical composition of conventional ice cream with a fat content of from 4 to 18% by weight, and preferably an average fat content of from 4 to 12% by weight, with a protein content preferably between 3 and 7% and a sugar content in general up to 30% by weight, and preferably having a total solid residue of between 28 and 45% by weight, preferably between 30 and 38% by weight.

The fat may be made up either of dairy fats or of a mixture of dairy and vegetable fats. The dairy fats are preferably provided by the use of full-cream milk, cream and/or dairy butter. Full-cream milk is also the preferred basic ingredient for preparing the basic mix as it acts as a solvent for the other ingredients and forms the continuous phase of the emulsion of the basic mix, besides contributing to the protein and sugar (lactose) contents of the emulsion.

Should vegetable fats be used, it is preferable to use oils with a melting point of between 20 and 55 °C, for example coconut oil, palm oil or palm nut oil. The ratio of dairy to vegetable fats, should the latter be used, is preferably between 1:1 and 2:1.

The protein content is made up essentially by the milk and/or cream and/or egg yolks.

In addition to lactose, the sugars used preferably include saccharose, dextrose and fructose.

The basic mix is prepared according to prior art techniques used in the preparation of a so-called ice cream mix which, as is known, is constituted by a complex colloidal system which includes an oil-in-water dispersion/emulsion with the sugars in solution and the insoluble proteins, any stabilisers and solid sweeteners in colloidal suspension. The fatty phase is in the form of dispersed globules.

The basic mix is prepared in an emulsifier, typically at from 55 to 65 °C, at which temperature the fatty phase is liquid. Typically, milk at around 60 °C is put into the emulsifier, after which the premixed soluble ingredients are added; the fat, if used, is generally added last and in the molten state.

The basic mix preferably includes conventional stabilisers and thickening agents, such as sodium alginate (0.01-0.3% by weight), carrageen (0.05-0.5% by weight), carboxymethyl cellulose (0.01-0.3% by weight), natural and modified starch, for example with adipic cross-linking (0.2-3% by weight), pectin with a low or medium methoxyl number, phosphates, agents for stabilising the protein phase (up to around 0.1% by weight). Even though the invention should not be seen as limited to the choice of particular stabilizing and thickening agents, the preferred ingredients for this purpose are carrageen and disodium phosphate.

If the intended finished product is one with an acidic pH, such as fruit ice cream, or ice cream made with a yoghurt or sour cream base, the stabilisers may include propylene glycol alginate.

At the end of any resting period, the basic mix thus obtained is fed to a freezer, preferably of a continuous type, where it is cooled rapidly while being whipped and injected with air or nitrogen so as to obtain the classic three-phase emulsion structure of conventional ice cream. The cooling time and temperature depend on the type of freezer used, according to the literature (See the text cited earlier). In a continuous process, the output temperature typically ranges from -6 to -9 °C.

According to one inventive characteristic of the process of the invention, the aerated product removed from the freezer, which generally has an overrun of 50-90%, is fed to a heat exchanger, preferably of a type with a scraped surface, where it is heated to above its melting point, to a temperature generally between 40 and 60 °C. The product, thus returned to a liquid state, is then degassed in a continuous degasifier at subatmospheric pressure so as substantially to remove the gaseous phase incorporated in the freezing step. The degassing temperature is generally between 40 and 60 °C.

The further treatment stages of the product include the known steps of pasteurisation or sterilisation and subsequent cooling and homogenisation of the product.

In the preferred embodiment, the product is subjected to a thermal pre-treatment in scraped-surface heat exchangers at a temperature of between 100 and 110 °C for a period of the order of 10-4 seconds and to a final sterilisation treatment, preferably carried out at a temperature of between 130 and 150 °C for a period of 15 to 2 seconds.

After sterilisation, the product is cooled rapidly to a temperature preferably between 65 and 80 °C and homogenised in a conventional homogeniser at a pressure of between 70 and 200 bar.

After this final homogenisation step, the product is cooled in scraped-surface heat exchangers and forwarded to an aseptic holding tank where it is maintained at a temperature of between 25 and 35 °C before being packaged under aseptic conditions.

It is thought that the operations of freezing and subsequent melting and degassing result in an alteration in the structural characteristics of the emulsion which are thought to be responsible for the particular organoleptic properties, described earlier, of the unfreezable phase of conventional ice cream when it loses the gas and microcrystals of ice on the surface of the tongue. Although the phenomena which occur during this treatment have not been fully elucidated, and the Applicant does not wish to be bound to any particular explanation of these mechanisms, it is presumed that this treatment is responsible for a denaturation of the seroproteins similar to that obtained through a heat treatment. The alteration in the structural characteristics of the emulsion has been checked, in particular, by checking the viscosity of an emulsion, this being determined at various stages in the process in comparison with the viscosity of an emulsion having an identical composition, but which has not been subjected to the steps of freezing, melting and degassing. In every comparative test it was found that the treatment described above results in a substantial reduction in the viscosity of the finished product.

This variation in viscosity, which is one measure of the desired organoleptic improvement in the product, is greater the higher the concentration, expressed as total solid residue, of the basic mix intended to be treated in the freezer. Therefore, in its preferred embodiment, the process according to the invention includes the preparation of a concentrated basic mix having a total solid residue which is around 1.1-1.5 times the final desired total solid residue, and the subsequent dilution of the aerated intermediate product obtained from the freezing step with an aqueous diluent, preferably full-cream milk, in the quantity necessary to bring the total solid residue to the final desired value. The aqueous diluent is generally heated, preferably to a temperature of between 60 and 85 °C so as to liquefy the intermediate mix at the same time.

Example 1

A concentrated mix was prepared having the following composition by weight:

Ingredients	% in dose
full-cream milk	61.44
saccharose	21.25
dextrose	3.75
fondant	2.5
cocoa powder (22% cocoa butter)	5
egg yolk	3.75
skimmed milk powder	1.25
P100 carrageen	0.019
kelgin "F"R	0.037
Na ₂ HP0 ₄	0.062
flavouring	to 100
Total fat content	4.9%
Total sugar content	30.6%
Total protein content	4.35%
Total solid residue	~ 41%

The mix was subjected to the following treatments:

Forming of the emulsion at 60 ° C in an emulsifier for 5 minutes;

Freezing in a continuous freezer: timing 7.5-8 minutes;

Output temperature: -6 ° C ÷ -9 ° C;

Addition of full-cream milk warmed to 80 ° C in a ratio of 1:4 (one part of milk to four parts of mix);

Degassing in a vacuum degasifier at 45-50 ° C;

Heat pre-treatment: 110 ° C for 5.5 seconds;

Final heat treatment: 134 ° C for 11.5 seconds;

Homogenisation at 70 ° C at 120 bar.

The viscosity of samples taken after the heat pre-treatment, after the final heat treatment and after homogenisation was determined with the use of a Brookfield viscosimeter at +5 ° C and at 20 and 100 rpm. The results are given in Figures 1 to 4.

The samples tested at +5 ° C were then rested for 24 hours in a refrigerator at 5 ° C and their viscosities were measured immediately after their removal from the refrigerator and then after they had been shaken vigorously by hand.

When tested by a panel of tasters, the product thus obtained was deemed to have a full, rounded and entirely satisfactory taste.

Example 1A

For the purpose of comparison, another mix was prepared with the same ingredients as in Example 1:

Ingredients	% in dose
full-cream milk	69.1
saccharose	17
dextrose	3
fondant	2
cocoa powder (22% cocoa butter)	4
egg yolk	3
skimmed milk powder	1
P100 carrageen	0.015
kelgin "F" ^R	0.03
Na ₂ HP0 ₄	0.05
flavourings	to 100
Total fat content	3.93%
Total sugar content	24.5 %
Total protein content	3.48%
Total solid residue	~ 33%

The mix described above was subjected to the same processing steps under the same conditions as those described in Example 1 except for the freezing and subsequent liquefaction and degassing.

The product thus obtained was not judged satisfactory by the panel of tasters as it did not have the organoleptic properties of conventional ice cream.

The viscosities of the product after the pre-treatment, final heat treatment and homogenisation, measured in a Brookfield viscosimeter under the same conditions as given for example 1, are given in Figures 1 to 4. A comparison of the values given in Figures 1 to 4 demonstrates how the freezing, liquefaction and degassing are responsible for a substantial variation in viscosity which, in the case of the product of Example 1, is substantially less than that of the product of Example 1A.

It is understood that the product obtained by the process of the invention may be flavoured with different flavours and that its fat content may be varied within the range specified above, according to the desired organoleptic and nutritional characteristics.

Example 2

Example 2 which follows describes the preparation of a concentrate for a nut flavoured product.

Ingredients	% by weight
full-cream milk	56.3
sugar	17.5
dextrose	6.25
nut paste	12.5
egg yolk	6.25
P100 carrageen	0.37
kelgin "F" ^R	0.1
vanillin sol. 1%	0.025
flavourings	to 100
Total fat content	12.8%
Total sugar content	27.2%
Total protein content	3.3%
Total solid residue:	42%

The concentrated basic mix having the composition given above was subjected to the same processing steps as described in Example 1, with the frozen aerated product taken from the freezer and melted by the

addition of full-cream milk in a ratio of 1:4. In this case the panel of tasters once again judged the product satisfactory and meeting the desired organoleptic properties.

Claims

5

1. A process for the preparation of a liquid food product, having a composition typical of ice cream, including edible fats, proteins, sugars and water, characterised in that it includes the steps of:

10

- preparing a basic mix including the ingredients mentioned above;
- cooling the mix to below its freezing point while whipping and injected it with gas until an aerated intermediate product is obtained, and subsequently heating it to above its freezing point and de-aerating it until the intermediate product is once again in a substantially de-aerate liquid state;
- pasteurising or sterilising the product thus obtained, homogenising it and packaging it in aseptic containers.

15

2. A process according to Claim 1, in which the finished food product has a fat content of from 4 to 18% by weight, a protein content of from 3 to 7% and a sugar content of up to 30% by weight and total solid residue of 28 to 45 % by weight.

20

3. A process according to Claim 1 in which the finished product has a total solid residue of from 30 to 38% by weight.

25

4. A process according to any one of Claims 1 to 3, in which the basic mix includes thickening and stabilising agents chosen from the group comprising sodium alginate, propyleneglycol alginate, carrageen, carboxymethyl cellulose, starch, modified starch, pectin and phosphates.

30

5. A process according to any one of Claims 1 to 4, in which the basic mix is a concentrate having a total solid residue equal to 1.1-1.5 times the total solid residue of the desired finished product and in which an aqueous, edible diluent is added to the intermediate aerated product in sufficient quantity to reduce the total solid residue to the desired final value.

35

6. A process according to Claim 4, in which the diluent is constituted by full-cream milk and in which the aerated intermediate product is dissolved in this diluent heated to a temperature of between 60 and 85 °C.

40

45

50

55

FIG. 1

CHART 1 - EXAMPLE 1 AND 1A: COMPARISON OF VISCOSITY VALUES OF THE COMPOSITIONS IN DIFFERENT STAGES - DATA DETERMINED AT +5°C. 100 RPM. SAMPLES WERE STIRRED BEFORE TESTING




FIG. 2

CHART 2 - EXAMPLE 1 AND 1A: COMPARISON OF VISCOSITY VALUES OF THE COMPOSITIONS IN DIFFERENT STAGES- DATA DETERMINED AT +5°C. 20 RPM. SAMPLES WERE STIRRED BEFORE TESTING




FIG. 3

CHART 3 - EXAMPLE 1 AND 1A: COMPARISON OF VISCOSITY VALUES OF THE COMPOSITIONS IN DIFFERENT STAGES- DATA DETERMINED AT +5°C. 100 RPM. SAMPLES WERE NOT STIRRED BEFORE TESTING





FIG. 4

CHART 4 - EXAMPLE 1 AND 1A : COMPARISON OF VISCOSITY VALUES OF THE COMPOSITIONS IN DIFFERENT STAGES. DATA DETERMINED AT 45°C, RPM. SAMPLES WERE NOT STIRRED BEFORE TESTING.





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

DOCUMENTS CONSIDERED TO BE RELEVANT			EP 94104249.1
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL.5)
A	EP - A - 0 201 974 (UNILEVER NV) * Totality *	1-6	A 23 G 9/02 A 23 G 3/00
A	EP - A - 0 191 487 (TOYO JOZO CO.) * Claims *	1-6	
			TECHNICAL FIELDS SEARCHED (Int. CL.5)
			A 23 G 9/00 A 23 G 3/00
The present search report has been drawn up for all claims			
Place of search VIENNA		Date of completion of the search 07-07-1994	Examiner IRMLER
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

THIS PAGE BLANK (USPTO)